

Tweed Laboratory Centre, 46 Enterprise Avenue, Tweed Heads South NSW 2486 Australia  
Phone: 07 5569 3103 Fax: 07 5524 2676 Email: [samplerception@tweed.nsw.gov.au](mailto:samplerception@tweed.nsw.gov.au) ABN: 90 178 732 496  
(All correspondence: Tweed Shire Council PO Box 816 Murwillumbah NSW 2484)  
[www.tweed.nsw.gov.au/tweedlab/](http://www.tweed.nsw.gov.au/tweedlab/)

## FINAL CERTIFICATE OF ANALYSIS

**Client:** Broken Head Quarry  
**Address:** PO Box 165  
BYRON BAY  
NSW 2481

Page 1 of 2

**Attention:** Dave Morris  
**Copy To:** Sheree Essery - BSC

**Lims1 Report No:** 13/1492-C  
**Client Job Reference:** O/N: 07607Q  
**Date of Report:** 19/06/2013

All pages of this Report have been checked and approved.  
This document may not be reproduced except in full.

<b>Taken By:</b>	Client	<b>No of Samples:</b>	4
<b>Date Taken:</b>	05/06/2013	<b>Date Testing Commenced:</b>	05/06/2013
<b>Date Received:</b>	05/06/2013	<b>Date Testing Completed:</b>	19/06/2013


**Sample Description:** Broken Head Quarry Air Monitoring - Chemical

Sample/Site No	Sample/Site Description
1	SPD1
2	SPD2
3	SPD3
4	SPD4

### COMMENTS:

Results refer to samples as received at the Laboratory.

\* Tests not covered by NATA accreditation.

  
Dr Paul J Wright  
(Laboratory Coordinator)  
[paulw@tweed.nsw.gov.au](mailto:paulw@tweed.nsw.gov.au)

## Tweed Laboratory Centre

**Client:** Broken Head Quarry

**Lims1 Report No:** 13/1492-C

**Address:** PO Box 165  
 BYRON BAY  
 NSW 2481

**Date Testing Completed:** 19/06/2013

**Date of Report:** 19/06/2013

**Attention:** Dave Morris

**Sample Description:** Broken Head Quarry Air Monitoring - Chemical

Sample Identification:			1	2	3	4
Date Taken:			05/06/2013	05/06/2013	05/06/2013	05/06/2013
Date Received:			05/06/2013	05/06/2013	05/06/2013	05/06/2013
Date Testing Commenced:			05/06/2013	05/06/2013	05/06/2013	05/06/2013
Test	Method	Units	13/1492-C-1	13/1492-C-2	13/1492-C-3	13/1492-C-4
*Air Monitoring	--	g/m2/mth	<0.1	0.3	0.3	0.2
*Ash Content	--	g/m2/mth	<0.1	<0.1	0.3	0.2

